



# **SAFETY DATA SHEET**

# 1. IDENTIFICATION OF THE SUBSTANCE/ PEREPARATION AND OF THE COMPANY / UNDERTAKING

**Product Identifier** 

Product Name Blue Rouge Polishing and Buffing Compound Bar

Other means of identification KX-9984, KX-10033

Synonyms None

Recommended use of the chemical and restriction on use

**Recommended Use**Abrasive/ Buffing Compound

**Uses advised against**No information Available

Details of the supplier of the safety data sheet

Supplier NameFormax Mfg. CorporationSupplier Address168 Wealthy Street S.W.

**Grand Rapids** 

MI 49503 USA

Supplier Phone Number Phone: 1-616-456-5458

Fax: 1-616-456-7507

Contact Phone: 1-616-456-5458

Supplier Email <u>sales@formaxmfg.com</u>

## 2. HAZARDS IDENTIFICATION

#### Classification

This item is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) This product is a pre-molded cake form with a tallow odor

GHS Label elements, including precautionary statement

**EMERGENCY OVERVIEW** 

Signal Word None

Hazard Statement None

The products/products contain no substances which at their given concentration are considered to be hazardous to health.

 Appearance:
 Premolded Cake Form
 Physical State: Solid
 Odor: Tallow Odor

Precautionary Statements – Prevention

Obtain Special Instructions before use

Precautionary Statements – Response

None

Precautionary Statements – Storage

None

Precautionary Statements – Disposal

None

Hazards not otherwise classified (HNOC)

Not applicable

**Unknown Toxicity** 

None

Other information

May cause slight eye irritation

Prolonged or repeated contact may dry skin and cause irritation.

Interaction with other chemicals

No information available

# 3. COMPOSITION / INFORMATION ON INGREDIENTS.

### **Blue Rouge**

 Chemical Name
 CAS No.
 %

 Aluminum Oxide
 1344-28-1
 \*

 Steric Acid
 134503-33-6
 \*

 Tallow
 129521-65-9
 \*

 Triethanolamine
 102-71-6
 \*

 Supplier Trade Secret
 \*

# 4. FIRST AID MEASURES

Eye Contact: Rinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician. Skin Contact: Wash skin with soap and water. In the case of skin irritation or allergic reactions see a physician.

Inhalation: Remover to fresh air. If symptoms persist, call a physician.

Ingestion: Do NOT induce vomiting. Drink plenty of water. If symptoms persist, call a physician.

Most important symptoms and effect, both acute and delayed

Most important symptoms and effect No information available

Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

# 5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available.

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.

Sensitivity to Static Discharge No

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with eyes.

**Environmental Precautions** 

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret

### 7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with eyes.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed.

Incompatible Products None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines: Hazardous Component	OSHA PEL	ACGIH TLV
Aluminum oxide	15 mg/m3 TWA (total dust)	1 mg/m3 TWA
	5 mg/m3 TWA (respirable)	(respirable) (as Al)
Tallow	None Established	None Established
Triethanolamine	-	TWA: 5 mg/m3

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration - Permissible Exposure Limits NIOSH IDLH Immediately Dangerous to Life or Health

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992) See section 15 for national exposure control parameters

Appropriate engineering controls

**Engineering Measures** Evewash stations

Showers

Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face Protection For buffing machines wear safety glasses and/or face shield helmets. See OSH 29 CFR 1910.122 (Safety Glasses).

Skin and Body Protection Protective work clothing, heavy duty gloves, body apron or belly pads, safety shoes as needed.

Respiratory protection (specify type): OSHA 24 CFR/134 NIOSH/MSHA Approved respirators for particulates from Respiratory Protection

buffing debris. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required.

Avoid prolonged excessive noise levels created by buffing and polishing operations. **Hearing Protection** 

See: OSHA 29 CFR 1910.215 (Hearing Protection)

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

Physical State Solid

**Appearance** Premolded Cake Form Odor Fatty Odor

Color Blue Odor Threshold No information available

Property pH Melting / freezing point Boiling point / boiling range Flash Point Evaporation Rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit Lower flammability limit	Values No data available 120F/145F No data available No data available NiL No data available No data available No data available	Remarks/ Method None known None known None known None known None known
Vapor pressure Vapor density Specific Gravity Water Solubility Solubility in other solvents Partition coefficient n-octanol/wate Autoignition temperature	No data available No data available No data available Negligible No data available erNo data available No data available	None known

Decomposition temperature

Kinematic viscosity

No data available

None known

No data available

No data available

No data available

No data available

Other Information

Softening Point No data available

VOC Content (%) No data available Particle Size No data available

Particle Size Distribution

# 10. STABILITY AND REACTIVITY

**Reactivity** 

No data available.

**Chemical stability** 

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

**Hazardous Polymerization** 

Hazardous polymerization does not occur.

Conditions to avoid

Using under conditions of insufficient dust collecting systems or ventilation.

**Incompatible materials** 

Strong Oxidizers or Reducing Agents.

**Hazardous Decomposition Products** 

Carbon oxides.

### 11. TOXICOLOGICAL INFORMATION

### <u>Information on likely routes of exposure</u>

Product Information Product does not present an acute toxicity hazard based on known or supplied information..

Inhalation
Eye Contact
Skin Contact
Ingestion
Specific test data for the substance or mixture is not available.
Specific test data for the substance or mixture is not available.
Specific test data for the substance or mixture is not available.
Specific test data for the substance or mixture is not available.

### Component Information

 Chemical Name
 Oral LD50
 Dermal LD50
 Inhalation LC50

 Triethanolamine
 > 4190 mg/kg (Rat)
 16 mL/kg (Rat)

 2000 mg/kg (Rabbit)

Information on toxicological effects

Symptoms No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Target Organ Effects Eyes. Respiratory system. Skin.

IARC (International Agency for Research on Cancer) Group 3 - Not Classifiable as to Carcinogenicity in Humans

Target Organ Effects Eyes. Respiratory system. Skin.

Reproductive Toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Chronic Toxicity

No known effect based on information supplied. Carcinogenic potential is unknown.

Target Organ Effects Eyes. Respiratory system. Skin. Lungs.

Aspiration Hazard No information available.

#### Numerical measures of toxicity. Product Information

The following values are calculated based on chapter 3.1 of the GHS document Not applicable

### 12. ECOLOGICAL INFORMATION

#### -cotoxicity

The environmental impact of this product has not been fully investigated.

# Persistence and Degradability

No information available.

#### <u>Bioaccumulation</u>

No information available

### Other adverse effects

No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal methods: This material, as supplied, is not a hazardous waste according to Federal regulations

(40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional

requirements.

Contaminated Packaging Dispose of contents/containers in accordance with local regulations.

This product may contains one or more substances that are listed with the State of California as a hazardous waste.

### 14. TRANSPORT INFORMATION

DOT NOT REGULATED

Proper Shipping Name NMFC-48580 Scouring Compound (Cake, Paste or Liquid form N.O.I.)

Hazard Class N/A

TDG Not regulated
MEX Not regulated
ICAO Not regulated
IATA Not regulated
Not regulated

Proper Shipping Name NON REGULATED

Hazard Class N/A

IMDG/IMO Not regulated

Hazard Class N/A

RID Not regulated
ADR Not regulated
ADN Not regulated

# 15. REGULATORY INFORMATION

# International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

# **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name CAS No Weight-% SARA 313 - Threshold Values % Aluminum oxide 1344-28-1 \* 1.0

\*Supplier Trade Secret

SARA 311/312 Hazard Categories

Acute Health Hazard No
Chronic Health Hazard No
Fire Hazard No
Sudden release of pressure hazard No
Reactive Hazard No

#### CWA (Clean Water Act)

This product does not contain any substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPS) under Section 112 of the Clean Air Act:

Chemical Name CAS No Weight% HAPS data VOC Chemical Class 1 Ozone Class @ Ozone Depletors Depletors

Triethanolamine 102-71-6 Group 1

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	Illinois
Aluminum oxide	Χ	Χ	Χ	Χ	
Triethanolamine		Χ	Χ	Χ	

#### International Regulations

Mexico Grade Slight risk Grade 1

National occupational exposure limits

Component Carcinogen Status Exposure Limits

Aluminum oxide Mexico: TWA= 10 mg/m3

Mexico - Occupational Exposure Limits - Carcinogens

# Canada

WHMIS Hazard Class Non-controlled

### 16. OTHER INFORMATION

NFPA

Health Hazards 1 Flammability 0 Instability 0 Physical and Chemical Hazards -

HMIS Health Hazards 1 Flammability 0 Physical Hazard 0 Personal Protection X

Prepared By Formax Mfg. Corporation

168 Wealthy St. S.W. Grand Rapids, MI 49503

1-616-456-5458 15-May-2015

Revision Date Revision Note

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text Precautions to be taken in handling and storing: Handle with adequate ventilation for nuisance dust when using. See OSHA 29 CFR 1910.24 (Ventilation) and 29 CFR 1910.1000 (Air Contaminants). Other precautions: Keep liquids from freezing. Store away from excessive heat. The information and recommendations set forth herein are taken from sources believed to be accurate as of the date hereof; however, Formax Mfg. makes no warranty with respect to the accuracy of the information or the suitability of the recommendation, and assumes no liability to any user thereof.